

ROLINE 19" Automatic Transfer Switch, 2x C20 to 6x C13/2x C19, 16A

Product No.	19.07.3415
Manufacturer	ROLINE
Manufacturer No.	19.07.3415
EAN (single piece)	7630049629134



The Automatic Transfer Switch (ATS) is a high availability device designed for providing redundant power for sensitive electronic equipment. Powered by two independent power sources, it makes a rapid switch from one source to the other automatically, when the power supply used to power its connected load fails.

- The ATS - Automatic Transfer Switch - has two main supplies that provide redundant power to connected IT equipment
- Designed to supply power from the primary source "A". If this source is unavailable for any reason, the device will automatically switch to the secondary source "B", with no interruption to the connected equipment
- Once the primary source "A" is available again, it will automatically switch back, again without interruption to the equipment
- Robust steel construction
- 2x C20 16A inlets
- 2x C19 16A outlets
- 6x C13 10A unswitched sockets
- 19" horizontal rack mounting 1U (44.4mm) high
- 16A max. rated. 220 - 240VAC 50Hz

Technical specifications

Manufacturer	ROLINE
Product group	UPS Accessories

Product type	Automatic Transfer Switch (ATS)
Colour	black
Scope of delivery	User manual, 2x Input cables: C19-C20, 2x Input cable lockers, SNMP card, accessories for rack installation
Dimensions (HxWxD)	44 x 482.6 x 220 mm
Mounting form	19" Rackmount
Technical particularity	Supports SNMP Version3
Operating temperature min.	0 °C
Operating temperature max.	45 °C
Height	44 mm
Width	482.6 mm
Depth	220 mm
Weight	3079.7 g
Height of packaging (single piece)	140 mm
Width of packaging (single piece)	440 mm
Depth of packaging (single piece)	550 mm
Package weight (single piece)	5.4 kg